

CURRICULUM VITAE

INFORMAZIONI PERSONALI

Nome	Lai Maria Letizia
Data di nascita	24/02/1964
Qualifica	I Fascia
Amministrazione	AZIENDA OSPEDALIERA UNIVERSITARIA DI CAGLIARI
Incarico attuale	Dirigente ASL I fascia - Servizio di Anatomia Patologica
Numero telefonico dell'ufficio	0706092371
Fax dell'ufficio	0706092370
E-mail istituzionale	marialetzialai@aoucagliari.it

TITOLI DI STUDIO E PROFESSIONALI ED ESPERIENZE LAVORATIVE

Titolo di studio	Laurea in Medicina e Chirurgia								
Altri titoli di studio e professionali									
Esperienze professionali (incarichi ricoperti)									
Capacità linguistiche	<table border="1"><thead><tr><th>Lingua</th><th>Livello Parlato</th><th>Livello Scritto</th></tr></thead><tbody><tr><td>Inglese</td><td>Fluente</td><td>Fluente</td></tr></tbody></table>			Lingua	Livello Parlato	Livello Scritto	Inglese	Fluente	Fluente
Lingua	Livello Parlato	Livello Scritto							
Inglese	Fluente	Fluente							
Capacità nell'uso delle tecnologie									
Altro (partecipazione a convegni e seminari, pubblicazioni, collaborazione a riviste, ecc., ed ogni altra informazione che il dirigente ritiene di dover pubblicare)	<ul style="list-style-type: none">- 1. Faa G, Diaz G, Farci G, Lai ML, Pilleri G, Liguori C, Costa V. Variability of copper levels in biopsy tissue from a cirrhotic liver. J Trace Elem Electrolytes Health Dis. 1990, 4, 49-50. 2. Del Fiacco M, Floris A, Lai ML, Montisci R, Quartu M. Calcitonin gene-related peptide in human celiac/superior mesenteric and inferior mesenteric ganglia. Immunohistochemical localization and coexistence with substance P. Ann N Y Acad Sci. 1992, 657, 473-6. 3. Quartu M, Diaz G, Lai ML, Del Fiacco M. Immunohistochemical localization of putative peptide neurotransmitters in the human trigeminal sensory system. Ann N Y Acad Sci. 1992, 657, 469-72. 4. Del Fiacco M, Floris A, Lai ML, Montisci R, Quartu M. Calcitonin gene-related peptide in human celiac/superior mesenteric and inferior mesenteric ganglia. Immunohistochemical localization and coexistence with substance P. Ann N Y Acad Sci. 1992, 657, 473-6.- 5. Quartu M, Diaz G, Floris A, Lai ML, Priestley JV, Del Fiacco M. Calcitonin gene-related peptide in the human								

CURRICULUM VITAE

- trigeminal sensory system at developmental and adult life stages: immunohistochemistry, neuronal morphometry and coexistence with substance P. *J Chem Neuroanat.* 1992, 5, 143-57. 6. Del Fiacco M, Floris A, Lai ML, Quartu M. Peptide-immunoreactive neuronal structures in the human celiac/superior mesenteric ganglionic complex (CSM). *Regul Pept.* 1993, 46, 254-6. 7. Del Fiacco M, Quartu M, Priestley JV, Setzu MD, Lai ML. GAP-43 persists in adulthood and coexists with SP and CGRP in human trigeminal sensory neurones. *Neuroreport.* 1994, 5, 2349-52. 8. Quartu M, Lai ML, Del Fiacco M. GAP-43 in the spinal trigeminal and dorsal column nuclei of the newborn and adult man: immunohistochemical distribution and comparison with that of the neuropeptides SP and CGRP. *Ital J Anat Embryol.* 1995, 100 Suppl 1, 205-11.
- 9. Lai ML, Rizzo N, Liguori C, Zucca G, Faa G. Alpha-1-antichymotrypsin immunoreactivity in papillary carcinoma of the thyroid gland. *Histopathology.* 1998, 33, 332-6. 10. GP Farina, A Baccoli, C Pani, M Pisano, ML Lai, G Zucca. Tiroidite di Hashimoto e cancro della tiroide. *Il Policlinico- Sez. Chirurgica.* 105, 139-147, 1998. 11. Quartu M, Serra MP, Bachis A, Lai ML, Ambu R, Del Fiacco M. Glial cell line-derived neurotrophic factor-like immunoreactivity in human trigeminal ganglion and nucleus. *Brain Res.* 1999, 847, 196-202. 12. Quartu M, Lai ML, Del Fiacco M. Neurotrophin-like immunoreactivity in the human hippocampal formation. *Brain Res Bull.* 1999, 48, 375-82.
 - 13. Piga M, Farina GP, Loi GL, Calia MA, Lai L, Zucca G, Mariotti S. Visualisation of a paraganglioma by technetium-99m-sestamibi scintigraphy. *J Endocrinol Invest.* 1999, 22, 296-300. 14. Goldsmith JD, Lai ML, Daniele GM, Tomaszewski JE, LiVolsi VA. Amyloid goiter: report of two cases and review of the literature. *Endocr Pract.* 2000, 6, 318-23. 15. Ambu R, Riva A, Lai ML, Loffredo F, Riva FT, Tandler B. Scanning electron microscopy of the interior of cells in Hurthle cell tumors. *Ultrastruct Pathol.* 2000, 24, 211-9. 16. Vanni R, Marras-Virdis S, Gerosa C, Lai ML, Tallini G. Cytogenetics of thyroid nodules in Hashimoto thyroiditis. *Cancer Genet Cytogenet.* 2000, 120, 87-8.
 - 17. Porcella A, Marchese G, Casu MA, Rocchitta A, Lai ML, Gessa GL, Pani L. Evidence for functional CB1 cannabinoid receptor expressed in the rat thyroid. *Eur J Endocrinol.* 2002, 147, 255-61. 18. Serra MP, Quartu M, Lai ML, Follesa P, Del Fiacco M. Expression of glial cell line-derived neurotrophic factor mRNA in the human newborn and adult hippocampal formation. *Brain Res.* 2002, 928, 160-4. 19. Quartu M, Serra MP, Ambu R, Lai ML, Del Fiacco M. AMPA-type glutamate receptor subunits 2/3 in the human trigeminal sensory ganglion and subnucleus caudalis from prenatal ages to adulthood. *Mech Ageing Dev.* 2002, 123, 463-71. 20. Del Fiacco M, Quartu M, Serra MP, Follesa P, Lai ML, Bachis A. Topographical localization of glial cell line-derived neurotrophic factor in the human brain stem: an

CURRICULUM VITAE

immunohistochemical study of prenatal, neonatal and adult brains. *J Chem Neuroanat.* 2002, 23, 29-48.

- 21. Erdas E, Licheri S, Pulix N, Lai ML, Pisano G, Pomata M, Daniele GM. Adenomyomatosis of the gallbladder. Personal experience and analysis of the literature. *Chir Ital.* 2002, 54, 673-84. 22. Quartu M, Serra MP, Manca A, Follesa P, Lai ML, Del Fiacco M. Neurotrophin-like immunoreactivity in the human pre-term newborn, infant, and adult cerebellum. *Int J Dev Neurosci.* 2003, 21, 23-33. 23. Boi F, Lai ML, Deias C, Piga M, Serra A, Uccheddu A, Faa G, Mariotti S. The usefulness of Tc-SestaMIBI scan in the diagnostic evaluation of thyroid nodules with oncocytic cytology. *Eur J Endocrinol.* 2003, 149, 493-8. 24. Dettori T, Frau DV, Lai ML, Mariotti S, Uccheddu A, Daniele GM, Tallini G, Faa G, Vanni R. Aneuploidy in oncocytic lesions of the thyroid gland: diffuse accumulation of mitochondria within the cell is associated with trisomy 7 and progressive numerical chromosomal alterations. *Genes Chromosomes Cancer.* 2003, 38, 22-31.
- 25. Boi F, Cau R, Piga M, Serra A, Loy M, Lai ML, Mariotti S. 99mTc-SestaMIBI scintigraphy of thyroid gland in a patient with primary hyperparathyroidism: unusual features due to coexistence of a thyroid papillary carcinoma. *Clin Endocrinol.* 59, 823-4, 2003. 26. Erdas E, Licheri S, Lai ML, Pisano G, Pomata M, Daniele GM. [Cervico-mediastinal hematoma secondary to extracapsular hemorrhage of parathyroid carcinoma.Clinical case and review of the literature] *Chir Ital.* 2003, 55, 425-34. 27. Fanni D, Pilloni L, Orru S, Coni P, Liguori C, Serra S, Lai ML, Uccheddu A, Contu L, Van Eyken P, Faa G. Expression of ATP7B in normal human liver. *Eur J Histochem.* 2005, 49, 371-8. 28. Boi F, Lai ML, Marziani B, Minerba L, Faa G, Mariotti S. High prevalence of suspicious cytology in thyroid nodules associated with positive thyroid autoantibodies. *Eur J Endocrinol.* 2005, 153, 637-42.
- 29. Lai ML, Faa G, Serra S, Senes G, Daniele GM, Boi F, Mariotti S, Beauchemin M, Asa SL. Rhabdoid tumor of the thyroid gland: a variant of anaplastic carcinoma. *Arch Pathol Lab Med.* 2005, 129, 55-57. 30. Sorcinelli R, Lai ML. Unusual complication after temporary use of perfluorohexyloctane (f6h8) in the treatment of complicated retinal detachment. *Retina.* 2005, 25, 89-90. 31. Pinna G., Orgiana G., Elisei R., Lai M.L., Mariotti S.. Germiline RET V804M mutation FMTC or MEN2A? *J. Endocrinol. Invest.* 28 (Suppl to no 4): 2005 32. Boi F, Baghino G, Atzeni F, Lai ML, Faa G, Mariotti S. The diagnostic value for differentiated thyroid carcinoma metastases of thyroglobulin (tg) measurement in washout fluid from fine-needle aspiration biopsy of neck lymph nodes is maintained in the presence of circulating anti-tg antibodies. *J Clin Endocrinol Metab.* 2006 Apr;91(4):1364-9. Epub 2006 Jan 24.
- 33. Quartu M, Serra MP, Mascia F, Boi M, Lai ML, Spano A, Del Fiacco M.GDNF family ligand receptor components

CURRICULUM VITAE

- Ret and GFRalpha-1 in the human trigeminal ganglion and sensory nuclei. *Brain Res Bull.* 2006 Apr 28;69(4):393-403. Epub 2006 Mar 2. 34. Piga M, Serra A, Uccheddu A, ML Lai, Faa G. Decisive presurgical role of MIBI SPECT/CT in identifying within a calcificthyroid nodule the parathyroid responsible for primary hyperparathyroidism. *Surgery.* 2006 Nov;140(5):837-8. Epub 2006 Aug 4. 35. Pinna G, Orgiana G, Riola A, Ghiani M, Lai ML, Carcassi C, Mariotti S. RET Proto-Oncogene in Sardinia: V804M Is the Most Frequent Mutation and May Be Associated with FMTC/MEN-2A Phenotype. *Thyroid.* 2007 Feb;17(2):101-4. 36. Quartu M, Serra MP, Boi M, Sestu N, Lai ML, Del Fiacco M. Tissue distribution of neurturin, persephin and artemin in the human brainstem at fetal, neonatal and adult age. *Brain Res.* 2007 Apr 27;1143:102-15. Epub 2007 Jan 26.
- 37. Boi F, Maurelli I, Pinna G, Atzeni F, Piga M, Lai ML, Mariotti S. Calcitonin measurement in wash-out fluid from fine needle aspiration of neck masses in patients with primary and metastatic medullary thyroid carcinoma. *J Clin Endocrinol Metab.* 2007 Jun;92(6):2115-8. Epub 2007 Apr 3. 38. Quartu M, Serra MP, Boi M, Ferretti MT, Lai ML, Del Fiacco M. Tissue distribution of Ret, GFRalpha-1, GFRalpha-2 and GFRalpha-3 receptors in the human brainstem at fetal, neonatal and adult age. *Brain Res.* 2007 Oct 10;1173:36-52. Epub 2007 Aug 9. 39. Frau DV, Lai ML, Caria P, Dettori T, Coni P, Faa G, Morandi L, Tallini G, Vanni R. Trisomy 17 as a marker for a subset of noninvasive thyroid nodules with focal features of papillary carcinoma: cytogenetic and molecular analysis of 62 cases and correlation with histological findings. *J Clin Endocrinol Metab.* 2008 Jan;93(1):177-81. Epub 2007 Oct 23.

RETRIBUZIONE ANNUA LORDA RISULTANTE DAL CONTRATTO INDIVIDUALE

Amministrazione: AZIENDA OSPEDALIERA UNIVERSITARIA DI CAGLIARI

dirigente: Lai Maria Letizia

incarico ricoperto: Dirigente ASL I fascia - Servizio di Anatomia Patologica

stipendio tabellare	posizione parte fissa	posizione parte variabile	retribuzione di risultato	altro*	TOTALE ANNUO LORDO
€ 0,00	€ 0,00	€ 0,00	€ 0,00	€ 0,00	€ 0,00

*ogni altro emolumento retributivo non ricompreso nelle voci precedenti